INDEX TO VOLUME 76 (1992)[1]
AUTHORS[2]

Acín, N.
Chemical weed control in pumpkin, 76(2), 55.

Acosta, N.
Aplicacíon de exoesqueleto de camarón, fertilidad de suelo y crecimiento del tomate. 76(1), 21.
Control de *Meloidogyne* spp. con *Pasteuria penetrans* (Thorne) Sayre y Starr, 76(2), 63.

Acosta-Villegas, N.
Biological and chemical control of nematodes in *Capsicum annuum* L., 76(3-4), 171.

Antoni, M.
*Determination of economic stocking rates for beef cattle grazing stargrass under two fertilizer levels, 76(3-4), 131.

Beaver, J.
Determinación de la pubescencia de cuarto genotipos de habichuela, *Phaseolus vulgaris* L. 76(2), 71.

Betancourt, C.
Control de *Meloidogyne* spp. con *Pasteuria penetrans* (Thorne) Sayre y Starr, 76(2),. 63.

Bigham, J. M.
Mineralogy of nipe clay, 76(3-4), 107.

Bosque-Vega, A.
Yield of cocoyam cultivars propagated by the single-bud method 76(1), 1.

Caloni, I. B. (De)
Sensorial and chemical evaluation of sapodilla (*Manilkara sapota* L. V. Rogen, *Achras sapota* Lynn.), varieties, 76(2), 102 (RN).

Camdessus, M. C.
Composición química y calidad culinaria de dos cultivares de batata (*Ipomoea batatas* L.): Morada INTA y Rojo Blanco, 76(3-4), 151.

Caraballo, E.
Chemical weed control in pumpkin, 76(2), 55.

Resistencia de seis cultivares comerciales de pimiento de cocinar (*Capsicum annuum* L.) a la mancha bacteriana causada por *Santhomonas campestris* pv *vesicatoria* (Doige) Dye, 97 (RN).

Casas, M.
Determination of economic stocking rates for beef cattle grazing stargrass under two fertilizer levels, 76(3-4), 131.

Cedeño-Maldonado, A.
Yield of cocoyam cultivars propagated by the single-bud method, 76(1), 1.

Effect of gibberellic acid on phyllotaxy of bud-grafted cacao (*Theobroma cacao* L.), 76(1), 33 (RN).

Cortés-Monllor, A.
†Diseases associated with pathovars of the *Santhomonas campestris* group in Puerto Rico, 76(3-4), 187.

*Senior author.
†Sole author.
RN Research note.

[1]An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original.

[2]Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes T. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.).

Articles under one name are organized chronologically (those in volume I precede those in volume II; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

Díaz, N.
The stability of B-carotene in mango nectar, 76(2), 101 (RN).

Echávez-Badel, R.
*Reaction of landrace Pompadour beans to *Macrophomina phaseolina* isolates, 76(2), 93 (RN).

Fornaris, G.
Resistencia de seis cultivares comerciales de pimiento de cocinar (*Capsicum annuum* L.) a la mancha bacteriana causada por *Xanthomonas campestris* pv *vesicatoria* (Doige) Dye, 76(2), 97 (RN).

Froeschner, R. C.
*A synopsis of burrowing bugs of Puerto Rico with description of new species *Melanaethus wolcotti* (Heteroptera: Cydnidae), 76(3-4), 177.

Gallardo-Covas, F.
†Permethrin 3.2 EC and fluvalinate aquaflow and stages of the coffee leaf miner, *Leucoptera coffeella* (Lepidoptera: Lyonetiida), 76(2), 35.

†Agumentation of *Mirax insularis* Muesebeck: alternative for population control of the coffee leaf miner: *Leucoptera coffeella*, 76(2), 43.

Irizarray, H.
*Bunch and ratoon management for profitable production of high quality bananas (*Mua acuminata*, AAA), 76(3-4), 119.

Lara-Mártez, L.
*Aplicación de exoesqueleto de camarón, fertilidad del suelo y credimiento del tomate, 76(1), 21.

Liu, L. C.
*Effect of four herbicides on establishment and forage yield of Guinea grass in Puerto Rico, 76(1), 15.

*Chemical weed control in pumpkin, 76(2), 55.

Maldonado-Capriles, J.
†On a small collection of Reduviidae (Insecta: Heteroptera) from Brasil, 76(1), 9.

A synopsis of burrowing bugs of Puerto Rico with description of new species *Melanaethus wolcotti* (Heteroptera: Cydnidae), 76(3-4) 177.

†New host for *Pseudopteromalus calandrae* (Howard) (Hymenoptera: Pteromalidae) in Puerto Rico, 76(3-4), 209 (RN).

Marrero, E.
Determination of economic stocking rates for beef cattle grazing stargrass under two fertilizer levels, 76(3-4), 131.

Martínez, M.
*Effect of gibberellic acid on phyllotaxy of bud-grafted cacao (*Theobroma cacao* L.), 76(1), 33 (RN).

Martínez-Garrastazú, S.
Sensorial and chemical evaluation of sapodilla (*Manilkara sapota* L. V. Rogen, *Achras sapota* Lynn.) varieties, 76(2), 103 (RN).

Mascary, M,
*Suplementación de vacas lecheras mediante apacentamiento en *Leucaena leucocephala* por 3 horas durante la sequía y la época lluviosa, 76(2), 63.

Monllor, A.
Control de *Meloidogyne* spp. con *Pasteuria penetrans* (Thorne) Sayre y Starr, 76(2), 63.

Muñoz, M. A.
*Mineralogy of nipe clay, 76(3/4), 107.

Ordóñez, C. R.
*Composición química y calidad culinaria de dos cultivares de batata (*Ipomoea batatas* L.): Morada INTA y Rojo Blanco, 76(3-4), 151.

Pantoja, A.
Determinación de la pubescencia de cuatro genotipos de habichuela, *Phaseolus vulgaris* L., 76(2), 71.

Peña, E. A.
*Determinación de la pubescencia de cuatro genotipos de habichuela, *Phaseolus vulgaris* L., 76(2), 71.

Ramos, R.
Determination of economic stocking rates for beef cattle grazing stargrass under two fertilizer levels, 76(3-4), 131.

*Senior author.
†Sole author.
RN Research note.

Ramos-Santana, R.
*Evaluación de introducciones de *Hemarthria altissima* en la altura húmeda de Corozal, 76(3-4), 161.

Randel, P. F.
Suplementación de vacas lecheras mediante apacentamiento en *Leucaena leucocephala* por 3 horas durante la sequía y la época lluviosa, 76(2), 83.

Reyes-Soto, I.
Chemical weed control in pumpkin 76(2), 55.

Riquelme-Villagrán, E.
Suplementación de vacas lecheras mediante apacentamiento en *Leucaena leucocephala* por 3 horas durante la sequía y la época lluviosa, 76(2), 83.

Rivera, E.
Bunch and ratoon management for profitable production of high quality bananas (*Musa acuminata*, AAA), 76(3-4), 119.

Rodríguez, J. A.
Bunch and ratoon management for profitable production of high quality bananas (*Musa acuminata*, AAA), 76(3-4), 119.

Rodríguez, R. del P.
Añublo polvoriente del pimiento en Puerto Rico causada por *Leveillula taurica* (Lev.) Arn., 76(1), 29 (RN).

Rodríguez-Arce, A. L.
*The stability of B-carotene in mango nectar, 76(2), 101 (RN).

Rodríguez-Arroyo, J. E.
Evaluación de introducciones de *Hemarthria altissima* en la altura húmeda de Corozal, 76(3-4), 161.

Roig, C. A.
Composición química y calidad culinaria de dos cultivares de batata (*Ipomoea batatas* L.): Morada INTA y Rojo Blanco, 76(3-4), 151.

Ruiz, H.
*Resistencia de seis cultivares comerciales de pimiento de cocinar (*Capsicum annuum* L.) a la mancha bacteriana causada por *Xanthomonas campestris* pv *vesicatoria* (Doige) Dye, 76(2), 97 (RN).

Ruiz-Giraldo, H.
*Añublo polvoriento del pimiento en Puerto Rico causado por *Leveillula taurica* (Lev.) Arn., 76(1), 29 (RN).

Sánchez, A.
Reaction of landrace Pompadour beans to *Macrophomina phaseolina* isolates, 76(2), 93 (RN).

Sievens, G.
Effect of four herbicides on establishment and forage yield of Guinea grass in Puerto Rico, 76(1), 63.

Vargas, R.
*Control de *Meloidogyne* spp. con *Pasteuria penetrans* (Thorne) Sayre y Starr, 76(2), 63.

Vázquez, F.
Effect of gibberellic acid on phyllotaxy of bud-grafted cacao (*Theobroma cacao* L.), 76(1), 33 (RN).

Vélez-Colón, R.
*Sensorial and chemical evaluation of sapodilla (*Manilkara sapota* L. V. Rogen, *Achras sapota* Lynn.) varieties, 76(2), 103 (RN).

Vicente, N. E.
*Biological and chemical control of nematodes in *Capsicum annuum* L., 76(3-4), 171.

*Senior author.
†Sole author.
RN Research note.

SUBJECTS

Añublo polvoriento
Causado por *Leveillula taurica* en pimiento, 76(1), 29.

Bananas
Bunch and ratoon management, 76(3-4), 119.

Batata, cultivares Morado INTA y Rojo Blanco
Beans, landrace Pompadour
Reaction to *Macrophomina phaseolina*, 76(2), 93.

Beef cattle
Economic stocking rates when grazing stargrass under two fertilizer levels, 76(3-4), 131.

Beetle, cigarette
Attacked by *Pseudopteromalus calandrae*, 76(3-4), 209.

Brazil
Reduviidae (Insecta: Heteroptera), a small collection from 76(1), 9.

Bugs, burrowing
Species in Puerto Rico, synopsis, 76(3-4), 177.

Cacao, bud-grafted
Gibberellic acid and phyllotaxy, 76(1), 33.

Capsicum annuum
Añublo polvoriento casuado por *Leveillula taurica*, 76(1), 29.

Biological and chemical control of nematodes, 76(3-4), 171.

Resistencia a la mancha bacteriana, 76(2), 97.

Cocoyam
Yield of cultivars propagated by the single-bud method, 76(1), 1.

Coffee
Permethrin, fluvalinate aquaflow and stages of leaf miner, 76(2), 35.

Coffee leaf miner
Agumentation of *Mirax insularis* for population control of, 76(2), 43.

Cucurbita moschata
Chemical weed control, 76(2), 55.

Enfermedades bacterianas
Cultivos afectados en Puerto Rico, 76(3-4). 187.

Gibberellic acid
Effect on phyllotaxy of bud-grafted cacao, 1992, 76(1), 33.

Guinea grass
Herbicides and forage yield, 76(1), 15.

Habichuela
Determinación de pubescencia en cuatro genotipos, 76(2), 71.

Hemarthria altissima, introducciones
Evaluación en la altura húmeda, 76(33-4), 161.

Heteroptera: Cydnidae
Description of new species *Melanaethus wolcotti*, 76(3-4), 177.

Ipomoea batatas
Composición química y calidad culinaria, 76(3-4), 151.

Lasioderma serricorne, cigarette beetle
Attacked by *Pseudopteromalus calandrae*, 76(3-4), 209.

Leaf miner, coffee
Stages and permethrin and fluvalinate aquaflow, 76(2), 35.

Leucaena leucocephala
Apacentamiento por 3 horas para suplementar vacas lecheras, 76(2), 83.

Leucoptera coffeella
Augmentation of *Mirax insularis* for population control of, 76(2), 43.

Stages and permethrin and fluvalinate aquaflow, 76(2), 35.

Leveillula taurica
Añublo polvoriento en pimiento, 76(1), 29.

Macrophomina phaseolina isolates
Reaction of landrace Pompadour beans, 76(2), 93.

Mancha bacteriana
Resistencia de seis variedades de pimiento, 76(2), 97.

Mango nectar
Stability of B-carotene, 76(2), 101.

Manilkara sapota, varieties
Sensorial and chemial evaluation, 76(2), 103.

Malenaethus wolcotti, new species
Description, 76(3-4), 177.

Meloidogyne spp.
Control en tomate con *Pasteuria penetrans*, 76(2), 63.

Mirax insularis
Augmentation for population control of coffee leaf miner, 76(2), 43.

Nematodes
Biological and chemical control in peppers, 76(3-4), 171.

Nipe Clay
Mineralogy, 76(3-4), 107.

Panicum maximum
Herbicides and forage yield, 76(1), 15.

Pasteuria penetrans
Control de *Meloidogyne* spp en tomate, 76(2), 63.

Pepper
Biological and chemical control of nematode, 76(3-4), 171.

Phaseolus vulgaris
Determinación de pubescencia en cuatro genotipos, 76(2), 71.

Pimiento
Añublo polvoriento causado por *Leveillula taurica*, 76(1), 29.

Pimiento, seis cultivares
Resistencia a la mancha bacteriana, 76(2), 97.

Pseudopteromalus calandrae
New host reported in Puerto Rico, 76(3-4), 209.

Pubescencia
Determinación en cuatro genotipos de habichuela, 76(2), 71.

Pumpkin
Chemical weed contro, 76(2), 55.

Reduviidae (Insecta: Heteroptera)
A small collection from Brazil, 76(1), 9.

Sapodilla varieties
Sensorial and chemical evaluation, 76(2), 103.

Soil fertility
Shrimp shell application, 76(1), 21.

Stargrass, two fertilizer levels
Determination of economic rates, 76(3-4), 131.

Sweet potatoes, cultivars Morada INTA and Rojo Blanco
Chemical composition and cooking quality, 76(3-4), 151.

Tanier
Yield of cultivars propagated by the single-bud method, 76(1), 1.

Theobroma cacao
Gibberellic acid and phyllotaxy, 76(1), 33.

Tomate
Control de *Meloidogyne* spp con *Pasteuria penetrans*, 76(2), 63.

Tomato, growth
Shrimp shell application, 76(1), 21.

Wasp, black, parasitic
New host reported in Puerto Rico, 76(3-4), 209

Xanthomonas campestris
Diseases associated with in Puerto Rico, 76(3-4), 187.

Xanthomonas campestris pv *vesicatoria*
Resistencia de seis variadades de pimiento, 76(2), 97.

Xanthosoma spp
Yield of cultivars propagated by the single-bud method, 76(1), 1.